



Vanguard Fencing
(Budget Metals head office)
Your complete fencing provider



Address: XIN LE ROAD, FOREIGN INVESTMENT
DEVELOPMENT ZONE, ZHENZE TOWN, WUJIANG
CITY, JIANGSU PROVINCE, CHINA
TEL: +86-18362777771
FAX: +86-512-63752690
WEB: www.vanguardfencing.com

>>>>> PRODUCT CATALOGUE 2016



Introduction:

Company Name: Vanguard fencing (Vanguard Fencing head office)
Date of Incorporation: May 2005
Ownership Structure: Company
Registered Address: Xin Lei Road, Foreign Investment development zone, zhenze town, wujiang city, Jiangsu Province, China.
Website: www.vanguardfencing.com
Principal Business: Tubular Steel Fencing Supplies

A diverse and experienced steel fencing supply company, Vanguard Fencing is dedicated to doing the best we can for our customers and their steel fencing needs.

Established in 2005, Vanguard Fencing is a manufacturer of a wide range of pre-fabricated fencing panels and continues to provide high quality at competitive prices. Specialising in industrial, commercial and pool fencing, Vanguard Fencing prides itself in providing N.A.T.A accredited fencing tailored to the world.

About

Suzhou Vanguard Fencing Group is a well established international fencing company with a factory located in Suzhou, China and offices in Melbourne and Sydney, Australia.

With over 10 years experience, we have built our reputation on quality and unsurpassed reliability. Our products undergo rigorous testing, and our state of the art quality control mechanisms ensure that our clients receive a high quality and durable product with an attractive finish. Our chemical pre-treating process enhances your finished product with extra features, including waterproofing, acid proofing, alkali proofing and corrosion resistance and has proven outstanding results from 20 years of rigorous weather testing.

With low maintenance and an aesthetically pleasing finish, it's no wonder why our products can be found useful in a wide variety of situations. Our guardrails are widely used in villas, courtyards, lakeside, flower beds, gardens, roads, parking lots and ballustrading. Our high security chain mesh and vinyl mesh fencing delivers great value and is widely implemented around highways, railways, airports, wharfs, stadiums and other municipal constructions.

We can also custom design a unique products for you, utilising our expert engineers who will use their vast experience to provide a high quality product, at a very reasonable price, to ensure full customer satisfaction.

Come and visit Suzhou Vanguard Fencing Group, a visit we are sure will be one to remember.



01



SECURITY FENCING

Vanguard Fencing' spear picket fencing combines stylish design with security. It can be used in a variety of locations including schools, parks and industrial estates.

These panels are manufactured using high quality galvanised steel and are chemically pre-treated before being powder coated. Our 5 stage chemical pre-treating process provides greater rust resistance and primes the steel for powder coating so it lasts longer without flaking or fading.

You can be sure that this is a long term investment providing aesthetically pleasing security for years to come.

Panel Details

• Standard panels

- PASM1800 1800*2400
- PASM2100 2100*2400
- PASM2400 2400*2300

• 25 x 25mm Square tubes with pressed spear top

• 40 x 40mm Rails

• 140mm centres

• Comes standard in satin Black



Non standard panels can be ordered with an 8 week lead time

02

SECURITY FENCING GATE

Pre fabricated double and single gates also available to suit your spear top security fence



• U-POST

- 100x100x2.5 Frame
- 25x25x1.2 Rail
- 250mm Gap



• PAMG 2000*950 OR PAGL2000*950

- 140mm Centres (115mm between the pickets)
- 950mm Width x 2000mm Height
- 65 x 65mm or 50 x 50mm Frame
- 25 X 25 x 1.2mm Pressed Spear Picket




• PAMG 2000*1950

- 140mm Centres (115mm between the pickets)
- 1950mm Width x 2000mm Height
- 65 x 65 mm Frame
- 25 X 25 mm Pressed Spear Picket

03

FENCING PANEL



Rod Top Panel - 2400 x 1800 mm

• Rod Top Panel

- PARM1800
- 40 x 40 x 1.6mm rails
- 25 x 25 x 1.2mm square uprights



Flat Top Panel - 2400 x 1200 mm
(2400 x 1500) Only for PAF19R-107

• Flat Top Panel

- PAF8Q1200
- 40 x 40 x 1.6mm rails
- 25 x 25 x 1.2mm square uprights

OR

- Aluminium Flat Top Pool Panel: APAF16R-112
- 25 x 38 x 1.6mm rails
- 16R x 1.2mm round uprights

- PAF19R-107 or PAF16R-110
- 25 x 38 x 1.6 mm rails
- 16mm or 19mm round uprights
- PAF19R-107 available in either Black or Cream



• Flat Top Gate

- PAG19R-111 or PAG16R-113
- 25 x 38 1.6mm frame
- 16mm or 19mm round uprights



• Loop Top Panel

- 2400 x 1200 mm
- 25 x 38 MM RAILS
- 19MM ROUND TUBES

04



POWDER COATED FENCE POSTS

- All posts are chemically pre-treated prior to powder coating

Powder Coated Posts				
Code	Size	Length (mm)	Weight (kg)	QTY/B
SP5050L1820B/C	50x50x1.6	1820	4.19	70
SP5050L2100B/C	50x50x1.6	2100	4.84	70
SP5050L2400B/C	50x50x1.6	2400	5.53	70
SP5050L3000B	50x50x1.6	3000	6.91	70
SP6565L2400B	65x65x1.6	2400	7.7	48
SP6565L2700B	65x65x1.6	2700	8.7	48
SP6565M2400B	65x65x2.0	2400	9.6	48
SP6565M2700B	65x65x2.0	2700	10.8	48
SP6565M3000B	65x65x2.0	3000	12	48
SP6565M3300B	65x65x2.0	3300	13.2	48
SP6565H3300B	65x65x2.5	3300	16.34	48
SP6565EH3300B	65x65x3.0	3300	19.5	48
SP7575M2500B	75x75x2.0	2500	11.55	35
SP7575M2800B	75x75x2.0	2800	13.38	35
SP7575H2500B	75x75x2.5	2500	14.34	35
SP7575H2800B	75x75x2.5	2800	16.64	35
SP100100M2500B	100x100x2.0	2500	15.46	20
SP100100M2800B	100x100x2.0	2800	17.9	20
SP100100M3200B	100x100x2.0	3200	19.79	20
SP100100H2500B	100x100x2.5	2500	19.25	20
SP100100H2800B	100x100x2.5	2800	22.33	20
SP100100H3200B	100x100x2.5	3200	24.64	15
SP100100EH2500B	100x100x3.0	2500	23.01	20
SP100100EH2800B	100x100x3.0	2800	26.69	20
SP100100EH3200B	100x100x3.0	3200	29.45	20

* B=Black C=Cream

05

STEEL PIPE & FENCE MATERIAL

- Range of tubular steel to make a wide range of fencing



Galvanised Steel RHS - long					
Code	Description	Size	Length (mm)	Weight (kg)	QTY/B
LG16R8	Circular 16mm	16Rx1.2	8000	3.5	37
LG19R7320	Circular 19mm	19Rx1.2	7320	3.86	37
LG19R8	Circular 19mm	19Rx1.2	8000	4.21	52
LG1919128	Square	20x20x1.2	8000	5.45	64
LG2525128	Square	25x25x1.2	8000	7.26	36
LG127127127320	Square	12.7x12.7x1.2	7320	3.25	
LG5010127320	Rectangle	50x10x1.2	7320	10.62	48
LG651612	Rectangle	65x16x1.2	5500	8.2	30
LG2538168	Rectangle	25x38x1.6	8000	12.16	25
LG4040168	Square	40x40x1.6	8000	15.58	20
LG5050168	Square	50x50x1.6	8000	19.6	16
LG6040167320	Rectangle	80x40x1.6	7320	21.62	8
LG6565168	Square	65x65x1.6	8000	25.64	9
LG6565208	Square	65x65x2.0	8000	32	9
LG10050208	Rectangle	100x50x2.0	8000	37	8
LG7575208	Square	75x75x2.0	8000	36.91	9
LG7575258	Square	75x75x2.5	8000	45.9	9
LG7575308	Square	75x75x3.0	8000	54.77	9
LG100100208	Square	100x100x2.0	8000	49.47	4
LG100100258	Square	100x100x2.5	8000	61.6	4
LG100100308	Square	100x100x3.0	8000	73.7	4

Galvanised Steel RHS - Short					
Code	Description	Size	Length (mm)	Weight (kg)	QTY/B
SG16R1190	Circular 16mm	16Rx1.2	1190	0.52	37
SG19R1190	Circular 19mm	19Rx1.2	1190	0.63	37
SG16R1490	Circular 16mm	16Rx1.2	1490	0.65	37
SG19R1490	Circular 19mm	19Rx1.2	1490	0.78	37
SG50161820	Square	50x50x1.6	1820	5.46	90
SG50162100	Square	50x50x1.6	2100	5.15	90
SG50162400	Square	50x50x1.6	2400	5.88	90
SG50163000	Square	50x50x1.6	3000	7.35	90
SG65162400	Square	65x65x1.6	2400	7.09	48
SG65162700	Square	65x65x1.6	2700	8.65	48
SG65163000	Square	65x65x1.6	3000	9.62	48

06

MATERIAL INTRODUCTION



- Vanguard Fencing STEEL LINE
- Rolled, Welded and Chemically Pre-treated in House
 - State of the art production lines



07

FENCE MATERIAL



Pressed Spear						
Code	Size	Length(mm)	Weight (kg)	QTY/B		
PS1800	25x25x1.2	1800	1.64	300		
PS2100	25x25x1.2	2100	1.91	300		
PS2400	25x25x1.2	2400	2.18	300		
Short Punched Rails						
Code	Size	Length(mm)	Weight (kg)	Centres	Punched Size	QTY/B
SPR101D/S	40x40x1.6	2400	4.68	140	26.4	160
SPR102	40x40x1.6	2400	4.68	140	26.4*40	160
SPR103D/S	40x40x2.5	2400	7.17	128.4	26.4	160
SPR104D/S	25x38x1.6	2400	3.65	104	19R	180
SPR105D/S	25x38x1.6	2400	3.65	110	19R	180
SPR106D/S	25x38x1.6	2400	3.65	105	16R	180
Long Punched Rails						
Code	Size	Length(mm)	Weight (kg)	Centres	Punched Size	QTY/B
LPR101D/S	25x38x1.6	8000	12.16	105	16R	25
LPR102D/S	25x38x1.6	8000	12.16	110	19R	25
LPR103D/S	25x38x1.6	8000	12.16	120	20	25
LPR104D/S	40x40x1.6	7320	14.26	140	26.4	20
LPR105D/S	40x40x1.6	8000	15.58	140	26.4	20
LPR106D/S	50x50x1.6	7320	17.93	128.4	26.4	16
LPR107D/S	50x50x1.6	8000	19.6	128.4	26.4	16
LPR108D/S	65x65x1.6	8000	28.8	140	26.4	9
LPR109D/S	65x65x2	8000	31.88	140	26.4	9
LPR110D/S	75x75x2	8000	36.91	140	25.7	9
LPR111D/S	75x75x2.5	8000	45.89	140	25.7	9
LPR112D/S	100x100x2	8000	49.47	140	25.7	4
LPR113D/S	100x100x2.5	8000	61.6	140	25.7	4
LPR114D/S	100x100x3	8000	73.7	140	25.7	4

08

Components

	Code	Description	
	ABS25x38 - A/B/C	25x38 Single Lug Aluminium Bracket	Available in bare aluminium, or powder coated black or cream
	GB525x38 - G/B/C	25x38 Steel Single Lug bracket	Available in gal, or powder coated black or cream
	GBD25x38 - G/B/C	25x38 Steel Double Lug bracket	Available in gal, or powder coated black or cream
	GBD40 - G/B	40x40 Gal Steel Double Lug Bracket	Available in gal or powder coated black
	BR40B - 65/75	RHS Security Bracket - powder coated black	Available to suit 65x65 post or 75x75 post
	GC50	Gal Steel Square Post Cap to suit 50x50 post	Also available: GC65, GC75, GC100
	GPC50 - B/C	Gal Steel Square Post Cap to suit 50x50 post powder coated	Other sizes available: GPC65, GPC75, GPC100
	F13065	Fence Post Base Plate 130x65x5 (2H)	Also available: F130x130, F150x150

09



	Code	Description	
	FT6	6 M Gal Steel Floor Track	
	CT119	Heavy Duty Hinges	
	W80A (W100A)	Zinc Plated Sealed Bearing Wheel	
	WY80A (WV100A)	Zinc Plated Sealed Bearing Wheel	
	PLC19R	Plastic Cap to suit 19R Picket	
	PLC2525	Plastic Cap to suit 25x25 Picket	Also available: PLC5050
	CT6000	Flat Bar Spike Strips 6000x60	Also available powder coated black

10